

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

FRAME NUMBER	TIME INTERVALS INFORMATION	
	START TIME	END TIME
0	0	$1 \cdot 1.001/30$
1	$1 \cdot 1.001/30$	$2 \cdot 1.001/30$
2	$2 \cdot 1.001/30$	$3 \cdot 1.001/30$
3	$3 \cdot 1.001/30$	$4 \cdot 1.001/30$
:	:	:
n	$n \cdot 1.001/30$	$(n+1) \cdot 1.001/30$
:	:	:

8/22

Fig. 8




Fig. 9 (a)




Fig. 9 (b)

CIP(Common Isochronous Packet)

9/22

Fig. 9 (c)





Fig. 9 (d)



09/937934

10/22

Fig. 10




Fig. 11

FRAME NUMBER	FORMULA FOR CALCULATING SYT	SYT VALUE WHEN $T_s = 0 \mu\text{sec}$ AND $t_{so} = 250 \mu\text{sec}$
0	$T_s + t_{so}$	2000_H
1	$T_s + t_{so} + 1 * 1.001/30$	$CB34_H$
2	$T_s + t_{so} + 2 * 1.001/30$	$7A68_H$
3	$T_s + t_{so} + 3 * 1.001/30$	$299C_H$
:	:	:
n	$T_s + t_{so} + n * 1.001/30$:
:	:	:

Fig. 12

12/22





Fig. 13



14/22

Fig. 14





Fig. 15



16/22

Fig. 16




Fig. 17 (a)




Fig. 17 (b)




Fig. 17 (c)




Fig. 17 (d)





Fig. 17 (e)






Fig. 18 (a) Data packet




Fig. 18 (b) CIP (Common Isochronous Packet)




Fig. 18 (c) Isochronous Packet




Fig. 18 (d) Packet Header

Fig. 19 (a)





Fig. 19 (b)



22/22

Fig. 19 (c)

